

# Development Application

## Drainage Submittal Information



### Purpose:

The purpose of the information document is to assist applicants and City Staff determine what drainage information will be required with a Development Application to demonstrate compliance with the Scottsdale Revised City Code and the Design Standards and Policies Manual. This is a guide. Final determination will be provided by City Staff on the application checklist. Additional information may be required upon review of a formal application.

Pre Development Site Condition		Case Type	Development Application Requirements	Comments
<input type="checkbox"/>	Any project site having a 50 cfs wash or is designated as SFHA.	ZN, DR, PP, II, UP, AB, BOA	Drainage Report per the DSPM.	
<input type="checkbox"/>	Any project that will increase the amount of impervious area on the site.	ZN, UP	No Drainage report per the DSPM.	Adding pavement or buildings over natural or landscaped areas. Assuming a drainage report will be provided with the DR, PP, or II case.
<input type="checkbox"/>	Any project that will increase the amount of impervious area on the site.	DR, PP, II, AB, BOA	Drainage report per the DSPM.	Adding pavement or buildings over natural or landscaped areas.
<input type="checkbox"/>	Any project that disturbs or alters an existing water course or drainage easement.	ZN, DR, PP, II, UP, AB, BOA	Drainage report per the DSPM.	Cell sites disturbing a water course or drainage easement.
<input type="checkbox"/>	Any small project that will not increase the impervious area. Less than 1 acre of disturbed area.	ZN, UP, AB, BOA	No drainage report per the DSPM.	Includes new and redevelopment type projects.
<input type="checkbox"/>	Any small project that will not increase the impervious area. Less than 1 acre of disturbed area.	DR, PP, II	A detailed grading and drainage plan showing the lowest floor elevations for all structures, per the DSPM. No drainage report.	Includes new and redevelopment type projects. Cell Sites.
<input type="checkbox"/>	Any large project, that will not increase the impervious area. More than 1 acre of disturbed area.	ZN, DR, PP, II, UP, AB, BOA	Drainage Report per the DSPM.	Includes new and redevelopment type projects. Drainage report is needed to ensure pre development flowrates don't exceed post development flowrates.

### Planning and Development Services

7447 E Indian School Road Suite 105, Scottsdale, AZ 85251 ♦ [www.ScottsdaleAZ.gov](http://www.ScottsdaleAZ.gov)